



**SAFETY DATA SHEET**  
according to Regulation (EC) No. 1907/2006

SDS # : 31115

**QUARTZ 7000 10W40**

Date of the previous version: not applicable

Revision Date: 2013-01-08

Version 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING
--

1.1. Product identifier

<b>Product name</b>	<b>QUARTZ 7000 10W40</b>
<b>Number</b>	715
<b>Pure substance/mixture</b>	Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Motor oil.
------------------------	------------

1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	TOTAL UK LIMITED 40 Clarendon Road Watford. Hertfordshire. WD17 1TQ UNITED KINGDOM Tel: +44 (0)1923 427700 Fax: +44 (0)1923 427701
-----------------	---

For further information, please contact:

<b>Contact Point</b>	Specific Product Related Info : 01977 636200
<b>E-mail Address</b>	rm.gb-msds@total.co.uk

1.4. Emergency telephone number

+33 1 49 00 00 49 (24h/24, 7d/7)  
Total UK - 01923 427700  
NHS Direct: 0845 46 47 / Textphone: 0845 606 46 47

2. HAZARDS IDENTIFICATION
---------------------------

2.1. Classification of the substance or mixture**REGULATION (EC) No 1272/2008**

*For the full text of the H-Statements mentioned in this Section, see Section 2.2.*

**Classification****DIRECTIVE 67/548/EEC or 1999/45/EC**

*For the full text of the R-phrases mentioned in this Section, see Section 16.*



SDS # : 31115

**QUARTZ 7000 10W40**

Revision Date: 2013-01-08

Version 3

The substance/mixture is non-dangerous in accordance with Directive(s) 67/548/EEC with amendments and/or 1999/45/EC with amendments

**Symbol(s)**  
Not Classified

2.2. Label elements

**Labelled according to** Directive 1999/45/EC

Contains Calcium long chain alkarylsulphonate, Polyolefin polyamine succinimide. May produce an allergic reaction.

Safety data sheet available on request.

2.3. Other hazards

**Physical-Chemical Properties** Contaminated surfaces will be extremely slippery.

**Properties Affecting Health** May produce an allergic reaction.

**Environmental properties** Should not be released into the environment.

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	EC-No	REACH Registration Number	CAS-No	Weight %	Classification (Dir. 67/548)	GHS Classification
Polyolefin polyamine succinimide, polyol	-	no data available	^	<2.5	R53	
Zinc alkyldithiophosphate	272-028-3	no data available	68649-42-3	<1.5	Xi;R41 N;R51-53	

**Additional information** Product containing mineral oil with less than 3% DMSO extract as measured by IP 346

**For the full text of the R-phrases mentioned in this Section, see Section 16.**  
**For the full text of the H-Statements mentioned in this Section, see Section 16.**

**4. FIRST AID MEASURES**4.1. Description of first aid measures

**General advice** IN CASE OF SERIOUS OR PERSISTENT CONDITIONS, CALL A DOCTOR OR EMERGENCY MEDICAL CARE.

**Eye contact** Rinse thoroughly with plenty of water, also under the eyelids.



SDS # : 31115

**QUARTZ 7000 10W40**

Revision Date: 2013-01-08

Version 3

<b>Skin contact</b>	Remove contaminated clothing and shoes. Wash skin with soap and water. Wash contaminated clothing before reuse. May cause an allergic skin reaction.
<b>Inhalation</b>	Move to fresh air.
<b>Ingestion</b>	If swallowed, do not induce vomiting - seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

<b>Eye contact</b>	Not classified.
<b>Skin contact</b>	Not classified.
<b>Inhalation</b>	Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.
<b>Ingestion</b>	Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

**Notes to physician** Treat symptomatically.

<b>5. FIRE-FIGHTING MEASURES</b>
----------------------------------

5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Foam. Carbon dioxide (CO <sub>2</sub> ). ABC powder.
<b>Unsuitable Extinguishing Media</b>	Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

<b>Special hazard</b>	Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot. These may be highly dangerous if inhaled in confined spaces or at high concentration.
-----------------------	--

5.3. Precautions for fire-fighters

<b>Special protective equipment for fire-fighters</b>	Wear self-contained breathing apparatus and protective suit.
<b>Other information</b>	Cool containers / tanks with water spray. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

<b>6. ACCIDENTAL RELEASE MEASURES</b>
---------------------------------------



SDS # : 31115

## QUARTZ 7000 10W40

Revision Date: 2013-01-08

Version 3

### 6.1. Personal precautions, protective equipment and emergency procedures

**General Information** Do not touch or walk through spilled material. Ensure adequate ventilation. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). For personal protection see section 8.

### 6.2. Environmental precautions

**General Information** Try to prevent the material from entering drains or water courses. Do not allow material to contaminate ground water system. Local authorities should be advised if significant spillages cannot be contained.

### 6.3. Methods and materials for containment and cleaning up

**Methods for cleaning up** Dam up. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

### 6.4. Reference to other sections

**Personal protective equipment** See Section 8 for more detail.

**Waste treatment** See section 13.

## 7. HANDLING AND STORAGE

### 7.1. Precautions for safe handling

**Advice on safe handling** When using, do not eat, drink or smoke. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin, eyes and clothing. For personal protection see section 8.

**Hygiene measures** Ensure the application of strict rules of hygiene by the personnel exposed to the risk of contact with the product. Wash hands before breaks and at the end of workday. Regular cleaning of equipment, work area and clothing is recommended. Do not use abrasives, solvents or fuels. Use personal protective equipment as required. Avoid breathing vapours, mist or gas. Avoid extended and repeated contact with the skin as this may cause skin disorders, which may also be aggravated by minor injuries or by contact with soiled clothing. Avoid prolonged and repeated contact with the skin, especially with used or waste product. Do not dry hands with rags that have been contaminated with product. Do not put product contaminated rags into workwear pockets.

### 7.2. Conditions for safe storage, including any incompatibilities

SDS # : 31115

**QUARTZ 7000 10W40**

Revision Date: 2013-01-08

Version 3

**Technical measures/Storage conditions**

Keep away from food, drink and animal feedingstuffs. Keep in a banded area. Keep container tightly closed. Preferably keep in the original container. Otherwise, reproduce all the statutory information from the labels onto the new container. Do not remove the hazard labels of the containers (even if they are empty). Design the installations in order to avoid accidental emissions of product (due to seal breakage, for example) onto hot casings or electrical contacts. Protect from frost, heat and sunlight. Protect from moisture.

**Materials to avoid**

Strong oxidising agents.

7.3. Specific use(s)**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1. Control parametres**Exposure limits**oil mist : 10mg/m<sup>3</sup>, for 15 minutes oil mist : 5mg/m<sup>3</sup>, for 8 hours**Legend**

See section 16

8.2. Exposure controls**Occupational Exposure Controls****Engineering measures**

Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

**Personal protective equipment****General Information**

These recommendations apply to the product as supplied. If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers.

**Respiratory protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Respirator with combination filter for vapour/particulate (EN 14387). The use of breathing apparatus must comply strictly with the manufacturer's instructions and the regulations governing their choices and uses.

**Eye protection**

If splashes are likely to occur, wear: Safety glasses with side-shields.

**Skin and body protection**

Protective gloves, Long sleeved clothing, Protective shoes or boots.

**Hand protection**

Neoprene gloves, Nitrile rubber. If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves.

**Environmental exposure controls**



SDS # : 31115

**QUARTZ 7000 10W40**

Revision Date: 2013-01-08

Version 3

**General Information** The product should not be allowed to enter drains, water courses or the soil.

**9. PHYSICAL AND CHEMICAL PROPERTIES**9.1. Information on basic physical and chemical properties

**Colour** brown  
**Physical state @20°C** Liquid  
**Odour** characteristic

<u>Property</u>	<u>Values</u>	<u>Remarks</u>	<u>Method</u>
<b>pH</b>		not applicable	
<b>Boiling point/boiling range</b>		No information available	
<b>Flash point</b>	<b>232 °C</b> 450 °F		Cleveland Open Cup (COC) Cleveland Open Cup (COC).
<b>Evaporation rate</b>		No information available	
<b>Flammability Limits in Air</b>		No information available	
<b>Vapour pressure</b>		No information available	
<b>Vapour density</b>		No information available	
<b>Density</b>	873 kg/m <sup>3</sup>		
<b>Water solubility</b>		not applicable	
<b>Solubility in other solvents</b>		No information available	
<b>logPow</b>		No information available	
<b>Autoignition Temperature</b>	<b>&gt; 250 °C</b> > 482 °F		
<b>Viscosity, kinematic</b>	96.8 mm <sup>2</sup> /s 14.81 mm <sup>2</sup> /s	@ 40 °C @ 100 °C	ISO 3104 ISO 3104
<b>Explosive properties</b>	Not explosive		
<b>Oxidising Properties</b>	not applicable		
<b>Possibility of hazardous reactions</b>	not applicable		

9.2. Other information

**Pour point** -24 °C

**10. STABILITY AND REACTIVITY**10.1. Reactivity10.2. Chemical stability

**Stability** Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

**Hazardous reactions** None under normal processing.

10.4. Conditions to Avoid



SDS # : 31115

**QUARTZ 7000 10W40**

Revision Date: 2013-01-08

Version 3

**Conditions to Avoid** Heat (temperatures above flash point), sparks, ignition points, flames, static electricity.

10.5. Incompatible materials

**Materials to avoid** Strong oxidising agents.

10.6. Hazardous Decomposition Products

**Hazardous Decomposition Products** Incomplete combustion and thermolysis may produce gases of varying toxicity such as carbon monoxide, carbon dioxide, various hydrocarbons, aldehydes and soot.

11. TOXICOLOGICAL INFORMATION
-------------------------------

11.1. Information on toxicological effectsAcute toxicity Local effects Product Information

**Skin contact** . Not classified.

**Eye contact** . Not classified.

**Inhalation** . Not classified. Inhalation of vapours in high concentration may cause irritation of respiratory system.

**Ingestion** . Not classified. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

Acute toxicity - Component InformationSensitisation

**Sensitisation** Not classified as a sensitizer. Contains sensitizer(s). May produce an allergic reaction.

Specific effects

**Carcinogenicity** During use in engines, contamination of oil with low levels of combustion products occurs. Used motor oils have been shown to cause skin cancer in mice following repeated application and continuous exposure. Brief or intermittent skin contact with used motor oil is not expected to have serious effects in humans if the oil is thoroughly removed by washing with soap and water.

Repeated Dose Toxicity

**Subchronic Toxicity** N/A.

Target Organ Effects (STOT)Other information



SDS # : 31115

**QUARTZ 7000 10W40**

Revision Date: 2013-01-08

Version 3

**12. ECOLOGICAL INFORMATION****12.1. Toxicity**

No experimental data available .

**Acute aquatic toxicity - Product Information****Acute aquatic toxicity - Component Information**

Chemical Name	Toxicity to algae	Toxicity to daphnia and other aquatic invertebrates.	Toxicity to fish	Toxicity to microorganisms
Zinc alkyldithiophosphate 68649-42-3		EC50 (48h) 1 - 1.5 mg/L Daphnia magna	LC50 (96h) 1.0-5.0 mg/L Pimephales promelas (static) LC50 (96h) 10.0-35.0 mg/L Pimephales promelas (semi-static)	

**Chronic aquatic toxicity • Product Information**

No information available.

**Chronic aquatic toxicity - Component Information**

No information available.

**Effects on terrestrial organisms**

No information available.

**12.2. Persistence and Degradability****General Information**

No data is available on the product itself.

**12.3. Bioaccumulative potential****Product Information** No information available.**logPow** No information available**Component Information****12.4. Mobility in soil****Soil** Given its physical and chemical characteristics, the product generally shows low soil mobility.**Air** Loss by evaporation is limited.





SDS # : 31115

**QUARTZ 7000 10W40**

Revision Date: 2013-01-08

Version 3

**Water** The product is insoluble and floats on water.

12.5. Results of PBT and vPvB assessment

**PBT and vPvB assessment** No information available.

12.6. Other adverse effects**13. DISPOSAL CONSIDERATIONS**13.1. Waste treatment methods

**Waste from residues / unused products** Dispose of in accordance with the European Directives on waste and hazardous waste. After use, this oil must be sent to a licensed waste oil facility. Incorrect disposal of used oil poses a risk to the environment. Mixture with other waste types such as solvents, brake- and cooling liquids is forbidden.

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

**EWC Waste Disposal No** The following Waste Codes are only suggestions: 13 02 05.

**Other information** According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

**14. TRANSPORT INFORMATION**

ADR/RID not regulated

IMDG/IMO not regulated

ICAO/IATA not regulated

ADN not regulated

**15. REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture



SDS # : 31115

**QUARTZ 7000 10W40**

Revision Date: 2013-01-08

Version 3

European Union

**Other regulations**

Directive 1999/13/EC on the limitation of emissions of volatile organic compounds

International Inventories

<b>EINECS/ELINCS</b>	-
<b>TSCA</b>	-
<b>DSL</b>	-
<b>ENCS</b>	-
<b>IECSC</b>	-
<b>KECL</b>	-
<b>PICCS</b>	-
<b>AICS</b>	-
<b>NZIoC</b>	-

**Legend****EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List**ENCS** - Japan Existing and New Chemical Substances**IECSC** - China Inventory of Existing Chemical Substances**KECL** - Korean Existing and Evaluated Chemical Substances**PICCS** - Philippines Inventory of Chemicals and Chemical Substances**AICS** - Australian Inventory of Chemical Substances**NZIoC** - New Zealand Inventory of Chemicals

Further information

15.2. Chemical Safety Assessment15.3. National regulatory information**The United Kingdom**

- Avoid exceeding occupational exposure limits (see section 8).

**Ireland**

- Avoid exceeding occupational exposure limits (see section 8).

**16. OTHER INFORMATION****Full text of R-phrases referred to under sections 2 and 3**

R53 - May cause long-term adverse effects in the aquatic environment

R41 - Risk of serious damage to eyes

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment



SDS # : 31115

**QUARTZ 7000 10W40**

Revision Date: 2013-01-08

Version 3

**Abbreviations, acronyms**

Legend Section 8

+	Sensitiser	*	Skin designation
**	Hazard Designation	C:	Carcinogen
M:	Mutagen	R:	Toxic to reproduction

Revision Date: 2013-01-08

Revision Note \*\*\* Indicates updated section.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006**

**This safety data sheet serves to complete but not to replace the technical product sheets. The information contained herein is given in good faith and is accurate to the best of knowledge at the date indicated above. It is understood by the user that any use of the product for purposes other than those for which it was designed entails potential risk. The information given herein in no way dispenses the user from knowing and applying all provisions regulating his activity. The user bears sole liability for the precautions required when using the product. The regulatory texts indicated herein are intended to aid the user to fulfil his obligations. This list is not to be considered complete and exhaustive. It is the user's responsibility to ensure that he is subject to no other obligations than those mentioned.**

**End of Safety Data Sheet**